

T3S - R1E. 2nd Mer.

61	62	62	62	63	63
59 6	58 5	77 4	77 3	77 2	76 1
78	75-78	76-77	76-77	76	76
59 7	75 8	75 9	74 10	74 11	73 12
75	73-75	73-74	73-74	73-74	73
59 18	73 17	72 16	72 15	71 14	71 13
72	70-72	70-72	70-72	71	71
60 19	70 20	69 21	69 22	69 23	68 24
67	68-70	68-69	68-69	68-69	68
60 30	67 29	66 28	66 27	66 26	65 25
67	65-67	65-66	65-66	65	64
61 31	65 32	64 33	64 34	64 35	63 36
55	55-56	55-56	55-56	55-56	55 57

T4S - R1E. 2nd Mer.

81	81-82	81-82	81-82	81-82	81-83
6 85	5 85	4 85	3 85	2 84	1 84
86	86-87	86-87	86-87	85	
7 88	8 87	9 87	10 87	11 86	
88	88-91	88-90	88-90	88	
18 91	17 90	16 90	15 89	14 89	
91	91-93	91-92	92	89	
19 93	20 93	21 92	22 92	23 90	24 83
93	94-96	94-96	94-95	94-95	94
30 94	29 96	28 95	27 95	26 95	25 83
96	97	97	98	98	99 36
31 97	32 97	33 97	34 98	35 98	
84 84					

Meandering Sec 99

Ohio R.

Township No. 4. S. R. 1. E. 2. Meridian
Indiana

West	Random line between T. 3 & 4. S. R. 1. E.
40.00	Set the temporary post
80.00	Set " " " Broken land, Oak Timber
West	On N. Side of Sec. 2 Random line
40.00	Set post
80.00	Set " " Broken land, Oak Timber
West	Random line on N. Side of Sec. No. 3. in T. 4. S. R. 1. E.
40.00	Set temporary post
50.00	To small run course South
80.00	Set temporary post - Broken land, Oak Timber
West	On N. Side of Sec. No. 4. T. 4. S. R. 1. E.
20.08	To run 100 lbs. over course South
40.00	Set post
80.00	" " - Rough hilly land, Oak Timber
West	On N. Side of Sec. No. 5. T. 4. S. R. 1. E.
40.00	Set post
80.00	" " - Good land, good soil, Oak & Beech Timber
West	On N. Side of Sec. No. 6. T. 4. S. R. 1. E.
00.15	To run 15 lbs. over course South
40.00	Set post
44.00	To run 200 lbs. over course South
78.50	To W. R. line, full 3 chs. N. of Township corner Broken land Oak Timber
East	On true Township line, moved $\frac{1}{4}$ Sec. post 275 lbs S. from which a Beech 8 ins. dia bears N 84 W 15 lbs A Beech 16 ins. dia bears East 41 lbs. Removed Sec. post. S. 2.50 lbs. Established corners of

T. L. S. R. 1. E. of Mer. Ind.

	Sec. No. 5 & 6 in T. L. 4 3143 2 in T. 3. S. R. 1. E from which a Beech 19 ins. dia. bears S 24 E. 12 lbs. Va Dogwood 4 ins. dia. bears N 16 W 16 lbs.
East 40.00	Placed the true line on N. Side of Sec. No. 5 in T. L. S. Set 1/4 Sec. post 225 lbs. S from which a W. Oak 12 ins. dia. bears N 38 W 16 lbs. Va W. Oak 16 ins. dia bears S 57 E 34 lbs.
80.00	Set post cor. of Sec. No. 4 & 5. in T. L. & Sec. No. 32 & 33 in T. 3. S. R. 1. E from which a W. Oak 10 ins. dia. bears S 32 E 6 lbs. Va W. Oak 8 ins. dia. bears N 20 W 38 lbs.
East 40.00	On N. Side of Sec. No. 4. T. L. S. R. 1. E Set 1/4 Sec. post from which a Beech 6 ins. dia. bears N 5 W 35 lbs. Va Beech 5 ins. dia. bears S 25 E 4 lbs.
80.00	Set post cor. of Sec. No. 3 & 4. in T. L. & Sec. No. 33 & 34. in T. 3. S. R. 1. E. from which a Sugar-tree 5 ins. dia. bears S 35 E 17 lbs. Va Sugar-tree 7 ins. dia. bears N 25 W 32 lbs.
East 40.00	Established the T. line on N. Side of Sec. 3. T. L. S. R. 1. E Set 1/4 Sec. post from which a Gum 10 ins. dia. bears N 77 W 17 lbs. Va Sugar-tree 6 ins. dia. bears N 85 E 15 lbs.
80.00	Set post cor. of Sec. No. 2 & 3 in T. L. & Sec. No. 34 & 35 in T. 3. S. R. 1. E from which a Hickory 5 ins. dia. bears N 5 W 2 lbs. Va W. Oak 6 ins. dia. bears S 65 E 7 lbs.
East 40.00	On T. line on N. Side of Sec. No. 2. T. L. S. R. 1. E Established the 1/4 Sec. post from which a B. Oak 18 ins. dia. bears S 43 E 25 lbs. Va W. Oak 10 ins. dia bears N 43 W 17 lbs.
80.00	Set post cor. of Sec. in T. L. & Sec. No. 35 & 36 in T. 3. S. R. 1. E from which a W. Oak 16 ins. dia. bears N 22 E 7 lbs. Va Elm 12 ins. dia. bears S 6 W 12 lbs.

T. L. S. R. 1. E. of Mrs. Ind.

East	On S. line on N. Side of Sec. 1. T. L. S. R. 1. E.
40.00	Set $\frac{1}{4}$ Sec. post from which a B. Walnut 8 ins. dia. bears S 80 W 12 lbs. & a Sugar-tree 6 ins. dia. bears N 30 E 12 lbs
80.00	To Township corner before established
South	On E. Side of Sec. No. 1. T. L. S. R. 1. E
45.50	To a W. Oak 12 ins. dia. in line
40.00	Set $\frac{1}{4}$ Sec. post from which a Buck 8 ins. dia. bears S 27 E 23 lbs. & a Sugar-tree 8 ins. dia. bears S. 19. W. 32 lbs
45.00	To the Ohio, set post from which a Beech 8 ins. dia. bears S 53 W 35 lbs. & a Buck 4 1/2 ins. dia. bears N 73 W 20 lbs. marked on W. Side T. L. S. R. 1. E. Sec. No. 1 & T. L. S. R. 2. E. Sec. No. 6. — 5 chs. bottom on the River. Buck & Sugar-tree Timber
North	Between Sec. 24 in T. L. S. R. 1. E. & Sec. No. 19 in T. L. S. R. 2. E
12.00	To a B. Oak 10 ins. dia.
40.00	Set $\frac{1}{4}$ Sec. post from which a Dogwood 4 ins. dia. bears S 15 W 5 lbs. & a Mulberry 7 ins. dia. bears N 44 E 17 lbs.
73.22	To the Ohio course E. Set post from which a Locust 5 ins. dia. bears N 15 E 5 lbs. & a W. Oak 10 ins. dia. bears S 50 W 7 lbs. — Broken land thin soil. Oak Timber
South	On E. Side of Sec. No. 25 in T. L. S. R. 1. E
15.20	To Buck 12 ins. dia. in line
20.50	To Do 15 " " " "
40.00	Set $\frac{1}{4}$ Sec. post from which a W. Oak 12 ins. dia. bears S 40 E 5 lbs. & a B. Oak 15 ins. dia. bears N 20 W 10 lbs.
80.00	Set post 20 lbs. E. of Temporary post cor. of Sec. No. 25 & 36 in T. L. S. R. 1. E. & Sec. No. 30 & 31 in T. L. S. R. 2. E. from which a Sugar-tree 15 ins. dia. bears S 80 W 7 lbs. & a Sugar-tree 10 ins. dia. bears S 80 E. 22 lbs Poor rough hilly land, Oak Timber.
South	On E. Side of Sec. No. 36 in T. L. S. R. 1. E

I. L. S. R. 1. E. of Mer. Ind.

18.40	To the Ohio, S 84 E. Set post cor of Sec. No 36 in I. L. R. 1. E & Sec. No 31 in I. L. S. R. 2 W. from which a Hickory 15 ins. dia. bears S 50 lbs. Va Beech 34 ins. dia. bears North 43 lbs. Bottom land, Beech Sugar-tree & ash Timber
West	On S. Side of Sec. No. 33. I. L. S. R. 1. E
24.80	To a creek, little Blue River course S. 2 chs. wide
40.00	Set $\frac{1}{4}$ Sec. post from which a Sugar-tree 8 ins. dia. bears S 77 E 6 lbs. Va Sugar-tree 5 ins. dia. bears S 88 W 17 lbs.
50.20	To the Ohio N 47 W. Set post from which a Sycamore 30 ins. dia. bears S 27 W 26 lbs. Va Beech 18 ins. dia. bears N 68 W 6 lbs. Level land good Soil Beech & Poplar Timber
East	On South Side of Sec. No. 34. I. L. S. R. 1. E
40.00	Set $\frac{1}{4}$ Sec. post from which a Beech 40 ins. dia. bears N 56 W 21 lbs. Va Sugar-tree 16 ins. dia. bears S 81 E 23 lbs.
45.50	To the Ohio, set post from which a B. Oak 5 ins. dia. bears S 10 E 20 lbs. Va B. Oak 4 ins. dia. bears N 5 W 30 lbs. Rough land, good Soil Oak & Beech Timber
South	Between Sec. No. 1 & 2. I. L. S. R. 1. E.
10.50	To a W. Oak 12 ins. dia
40.00	Set $\frac{1}{4}$ Sec. post from which a W. Oak 18 ins. dia. bears N 35 E 7 lbs. Va W. Oak 16 ins. dia. bears S 67 W 19 lbs.
50.92	To the Ohio course S 60 W. set post bounding Sec. No. 1 & 2 from which an Elm 15 ins. dia. bears S 85 E 12 lbs. Va B. Walnut 16 ins. dia. bears N. 42 lbs. Broken Land, Oak Timber
South	Between Sec. No. 2 & 3. I. L. S. R. 1. E
11.50	To a B. Oak 15 ins. dia in line
40.00	Set $\frac{1}{4}$ Sec. post from which a W. Oak 8 ins. dia. bears S 10 E 16 lbs. Va W. Oak 16 ins. dia. bears S 80 W 30 lbs.

I. L. S. R. I. E. of Mer. Ind.

85

46.70 To a W. Oak 18 ins. dia in line
 80.00 Set post cor. of Sec. No. 2, 3, 10 & 11 from which
 a W. Oak 12 ins. dia. bears N 53 W 5 lks. & a W. Oak
 4 ins. dia. bears N 80 E 5 lks. Poor broken land
 Oak Timber

East Between Sec. No. 2 & 11. I. L. S. R. I. E.
 40.00 Set $\frac{1}{4}$ Sec. post from which a W. Oak 12 ins. dia. bears
 N 35 E 18 lks. & a W. Oak 4 ins. dia. bears S 67 W 15 lks.
 57.81 To the Chic. S 26 E. Set post between Sec. No. 2
 & 11 from which a W. Oak 18 ins. dia. bears S 45 E 9 lks.
 & a Sugar 18 ins. dia. bears N 60 W 3 lks.
 Very broken land. Oak Timber

South Between Sec. No. 3 & 4. I. L. S. R. I. E.
 3.50 To a Stream bed over-course E.
 40.00 Set $\frac{1}{4}$ Sec. post from which a Poplar 4 ins. dia. bears
 N 70 E 6 lks. & a W. Walnut 10 ins. dia. bears S 53 W 30 lks.
 45.20 To line B. Oak 10 ins. dia
 80.00 Set post cor. of Sec. No. 3, 4, 9 & 10 from which
 a Beech 16 ins. dia. bears N 13 E 30 lks. & a Poplar
 6 ins. dia. bears N 30 W 14 lks. Broken Land, thin
 Soil, Oak Timber

South Between Sec. No. 4 & 5. I. L. S. R. I. E.
 6.00 To a W. Oak 12 ins. dia in line
 40.00 Set $\frac{1}{4}$ Sec. post from which a Beech 12 ins. dia. bears
 S 7 E 24 lks. & a Dogwood 5 ins. dia. bears N 2 W 15 lks.
 50.00 To a Beech 10 ins. dia
 80.00 Set post cor. of Sec. No. 5, 8 & 9 from which a
 Poplar 30 ins. dia. bears N 48 W 11 lks. & a Gum 12 ins.
 dia. bears S 5 E 10 lks. Good upland, Oak Timber

South Between Sec. No. 5 & 6. I. L. S. R. I. E.
 19.00 To Run 12 lks. over-course West
 40.00 Set $\frac{1}{4}$ Sec. post. from which a Beech 18 ins. dia. bears

T. L. S. R. L. E. of Mer.

	N. 20 E 36 lbs. 4a Beech 38 ins. dia. bears W. 19 lbs.
55.20	Go a Beech 12 ins. dia.
80.00	Set post corner of Sec. No. 5. 6. 7 & 8 from which an Ironwood 5 ins. dia. bears S 78 W. 12 lbs. 4a B. Oak 12 ins. dia. bears N 80 E 3 1/2 lbs. Broken land, Oak & Beech Timber
West	Between Sec. No. 6 & 7
40.00	Set 1/4 Sec. post from which a Beech 10 ins. dia bears N 36 E 16 lbs. 4a Beech 10 ins. dia. bears S 40 W 16 lbs
42.50	Go run course S. 1 ch. over
79.80	Go Range line, no post. Set post cor. of Sec. 6 & 7 from which a Beech 12 ins. dia. bears S 57 E 22 lbs. 4a Beech 10 ins. dia. bears S. 19 W 8 lbs. Broken land, good soil. Oak & Beech Timber
East	Random line between Sec. No. 5 & 8
50.00	Go corner fell 10 lbs. S. of post Broken land, thin soil, Oak Timber
East	Random between Sec. No. 4 & 9 over rough hills
80.00	Go corner fell 10 lbs. S. of post Timber Oak & Beech
East	Random between Sec. No. 3 & 10
23.00	Go run 25 lbs. over course S.
50.00	Go cor. fell 25 lbs. S. of post Broken land, Oak Timber
South	Between Sec. No. 10 & 11
8.10	Go B. Oak 12 ins. dia
40.00	Set 1/4 Sec. post from which a W. Oak 12 ins. dia. bears N 65 E 10 lbs. 4a Beech 18 ins. dia. bears S 45 W 18 lbs
59.50	Go a W. Oak 12 ins. dia
80.00	Set post cor. of Sec. No. 10. 11. 14 & 15 from which a B. Walnut 12 ins. dia. bears S 20 E 7 lbs. 4a Sugar

T. L. S. R. I. E. of Mo. Ind.

87

	8 ins. dia. bears N 36 E 7 lbs Rough hill. Oak Timber
West	Between Sec. No. 3 & 10 on true line
40.00	Set $\frac{1}{4}$ Sec. post from which a W. Ash 16 ins. dia. bears N 60 E 5 lbs. & a Gum 15 ins. dia. bears N 65 W 13 lbs
80.00	To corner
South	Between Sec. No. 9 & 16
9.50	To a Stream 1 ch. over course W.
40.00	Set $\frac{1}{4}$ Sec. post from which a Beech 20 ins. dia bears E 30 lbs & a Beech 4 ins. dia. bears N 78 W 6 lbs
41.50	To Stream 1 ch. over course E
80.00	Set post cor. of Sec. 9, 10, 15 & 16 from which a Beech 4 ins. dia. bears S 83 W 6 lbs. & a Sugar tree 6 ins. dia. bears S 63 E 22 lbs. Rough land, good soil. Oak & Beech Timber
West	Between Sec. No. 4 & 9
40.00	Set $\frac{1}{4}$ Sec. post from which a Sugar tree 6 ins. dia bears S 20 W 10 lbs. & a W. Oak 16 ins. dia. bears N 24 W 11 lbs
80.00	To corner.
South	Between Sec. No. 8 & 9
37.00	To Stream 1 ch. over course E.
40.00	Set $\frac{1}{4}$ Sec. post from which a Beech 10 ins. dia. bears N 70 E 10 lbs. & a Beech 6 ins. dia. bears N 65 W 18 lbs
62.00	To Stream 1 ch. over course S. 40 E.
80.00	Set post cor. of Sec. No. 8, 9, 16 & $\frac{1}{4}$ from which a Sugar tree 10 ins. dia. bears N 53 W 8 lbs. & a Beech 36 ins. dia. bears S 54 E 40 lbs. Rough land Oak Timber
West	Between Sec. No. 5 & 8
40.02	Set $\frac{1}{4}$ Sec. post from which a Beech 6 ins. dia. bears N 50 W 35 lbs & a Beech 8 ins. dia. bears S 25 E 4 lbs
80.04	To corner

T. L. S. R. & C. of Mer. Ind.

South	Between Sec. No. 7 & 8. T. L. S. R. & C.
21.00	To Stream 2 chs. over course S 45 E
40.00	Set 1/4 Sec. post from which a Beech 6 ins. dia. bears S 74 W 5 lbs. & a Spruce 12 ins. dia. bears S 71 E 15 lbs.
67.00	To Stream 10 lbs. over course E.
80.00	Set post cor. of Sec. No. 7 & 8. 1/4 415 from which a Beech 15 ins. dia. bears S 80 E 29 lbs. & a Beech 4 ins. dia. bears S 77 W 24 lbs. Broken land, good soil, Oak & Beech Timber
West	Between Sec. No. 7 & 8
40.00	Set 1/4 Sec. post from which a Sugar-tree 8 ins. dia. bears S 77 E 14 lbs. & a Sugar-tree 10 ins. dia. bears S 70 W 8 lbs.
78.00	To R. line 9 chs. N. of post from which a B. Oak 15 ins. dia. bears S. 12 lbs. & a W. Oak 8 ins. dia. bears S 15 E 5 lbs. — Broken land, Oak Timber
East	Between Sec. No. 8 & 9
53.00	To Stream 1 ch. over course S 45 E
79.80	To corner, fell 20 lbs. N. of post Level land, Oak & Beech Timber
East	Between Sec. No. 9 & 10
36.00	To Stream 100 lbs. over course N.
76.00	To " 100 " " " S.
79.50	To corner struck the post Rough hill land Oak Timber
East	Between Sec. No. 10 & 11 random line
20.00	To Stream 1 ch. over course S 40 W
79.00	To corner fell 50 lbs. S. of post Rough land, thin soil, Oak & Beech Timber
East	Between Sec. No. 11 & 12
40.00	Set 1/4 Sec. post from which a B. Oak 8 ins. dia.

89

V. L. S. R. 1. E. of Mer. Ind.

	<p>bears S. 70 W 9 lbs. & a Mulberry 4 ins. dia. bears N 23 W 7 lbs</p> <p>42.30 To the Ohio course South. Set post between Sec. No. 11 & 14 from which a Maple 16 ins. dia. bears N 57 W 23 lbs. & a Maple 14 ins. dia. bears N 61 E 23 lbs. Rough land, thin soil. Oak Timber</p>
South	<p>Between Sec. No. 14 & 15</p> <p>12.50 To a W. Oak 10 ins. dia</p> <p>49.00 Set 1/4 sec. post from which a Beech 16 ins. dia. bears N 22 E 18 lbs. & a W. Oak 14 ins. dia. bears N 76 W 3 lbs</p> <p>80.00 Set post cor. of Sec. No. 14. 15. 22 & 23. from which a Beech 10 ins. dia. bears N 33 E 26 lbs. & a Beech 4 ins. dia. bears S 47 E 28 lbs. Good land good soil, Oak & Beech Timber</p>
East	<p>Between Sec. No. 14 & 23</p> <p>40.00 Set 1/4 sec. post from which a Sugar tree 8 ins. dia. bears N 22 W 15 lbs. & a Sassafras 6 ins. dia. bears N 7 W 25 lbs</p> <p>80.00 Set post at corner of Sec. No. 13. 14. 23 & 24. from which a Spruce 15 ins. dia. bears N 63 E 18 lbs. & an Elm 6 ins. dia. bears N 45 W 30 lbs. Rough land, good soil, Oak & Beech Timber</p>
North	<p>Between Sec. No. 13 & 14. V. L. S. R. 1. E</p> <p>6.32 To the Ohio S 58 E. Set post between Sec. No. 13 & 14 from which a Buckeye 16 ins. dia. bears N 10 W 6 lbs. & a Buckeye 20 ins. dia. bears S 36 E 27 lbs. Broken Land, Timber, Sugar tree, Buckeye & Beech.</p>
East	<p>Between Sec. No. 13 & 24. V. L. S. R. 1. E</p> <p>13.24 To the Ohio, S 70 E. Set post between Sec. No. 13 & 24 from which a Sugar tree 8 ins. dia. bears S 45 E 7 lbs. & a W. Oak 16 ins. dia. bears S 56 E 18 lbs. Good soil, Timber Sugar tree Oak & Beech</p>

S. L. S. R. 1. Co. of Mer. Ind.

South	Between Sec. No. 23 & 24, S. L. S. R. 1. Co.
12.00	To a Beech 9 ins. dia. in line
40.00	Set $\frac{1}{4}$ Sec. post from which a Beech 10 ins. dia. bears N 25 E 20 lbs. & a Sugar tree 12 ins. dia. bears N 16 W 29 lbs.
45.00	To a Beech 12 ins. dia.
80.00	Set post cor. of Sec. No. 23, 24, 25 & 26, from which a Sycamore 16 ins. dia. bears N 45 E 50 lbs. & a Sycamore 10 ins. dia. bears N 11 W 15 lbs. Level land, good soil, Oak & Beech Timber.
West	Between Sec. 10 & 15 in true line
39.95	Set $\frac{1}{4}$ Sec. post from which a W. Oak 16 ins. dia. bears N 19 E 19 lbs. & a W. Oak 28 ins. dia. bears N 35 W 25 lbs.
49.90	To corner
South	Between Sec. No. 15 & 16
9.10	To a W. Oak 12 ins. dia.
40.00	Set $\frac{1}{4}$ Sec. post from which a Beech 10 ins. dia. bears N 36 W 17 lbs. & a Beech 12 ins. dia. bears N 12 E 20 lbs.
45.00	To a Beech 10 ins. dia.
80.00	Set post cor. of Sec. No. 15, 16, 21 & 22 from which a Sycamore 40 ins. dia. bears E 20 W. & a Sycamore 4 ins. dia. bears W. 76 lbs. post in creek Broken land good soil Beech Timber
West	Between Sec. No. 9 & 16
39.75	Set $\frac{1}{4}$ Sec. post from which a W. Oak 6 ins. dia. bears N 16 W 25 lbs. & a Poplar 10 ins. dia. bears N 27 E 20 lbs.
49.90	To corner.
South	Between Sec. No. 16 & 17
26.00	To Stream 150 lbs. wide course N 40 E.
40.00	Set $\frac{1}{4}$ Sec. post from which a Poplar 10 ins. dia. bears N 6 W 16 lbs. & a Dog? 6 ins. dia. bears N 15 W 23 lbs.
49.10	To B. Oak 18 ins. dia.

91

J. L. S. R. I. E. of Mer. Ind.

80.00	Set post cor. of Sec. No. 16. 17. 20 & 21 from which a B. Oak 20 ins. dia. bears S 53 W 25 lbs. & a B. Oak 16 ins dia. bears N 52 E 17 lbs. Rough land, good Soil, Oak Timber
West	Between Sec. No. 8 & 17
39.90	Set 1/4 Sec. post from which a Beech 20 ins. dia bears N 33 E 12 lbs. & a Beech 14 ins. dia. bears S 46 W 30 lbs.
79.80	To corner
South	Between Sec. No. 17 & 18
15.00	To Beech 12 ins. dia
40.00	Set 1/4 Sec. post from which a Sugar oak 6 ins. dia. bears N 77 W 10 lbs. & a W. Oak 8 ins. dia. bears N 67 E 31 lbs.
45.50	To B. Oak 15 ins. dia
80.00	Set post cor. of Sec. 17. 18. 19 & 20 from which a Hickory 18 ins. dia bears N 72 W 35 lbs. & a Sugar tree 5 ins. dia bears S 21 E 22 lbs. Rough hills. Good Soil Oak & Hickory Timber
West	Between Sec. No. 18 & 19
40.00	Set 1/4 Sec. post from which a Beech 18 ins. dia. bears N 4 E 22 lbs. & a Hickory 14 ins. dia. bears S 14 W 27 lbs.
78.00	To R. line full 9.50 lbs. N. of post, set post cor. of Sec. No. 18 & 19 from which a W. Oak 6 ins. dia. bears N 50 E 13 lbs. & a Dog 1/2 ins. dia. bears S 5 E 10 lbs. Rough land, thin soil, Oak Timber
East	Between Sec. No. 17 & 20 over rough hills
79.40	To corner full 40 lbs. N. of post, Timber Oak & Beech
East	Between Sec. No. 16 & 21 over hill land
79.30	To cor. full 50 lbs. S. of post Good Soil Oak & Beech Timber

J. L. D. R. A. E. & H. Co.

East	Between Sec. No. 15 & 22
5.10	To Stream 1 ch. over course S.
1960	Locomer fell 50 lbs. N. of Post. Rough land, Oak Timber
South	Between Sec. No. 22 & 23
15.58	To a W. Oak 12 ins. dia
40.00	Set the Sec. post from which a Beech 12 ins. dia. bears S 63 W 9 lbs. & a W. Oak 12 ins. dia. bears N 18 E. 12 lbs.
80.00	Set post cor. of Sec. 22. 23. 26 & 27 from which a Beech 10 ins. dia. bears S 4 E 16 lbs. & a Beech 8 ins. dia. bears S 57 W 33 lbs. Rough land thin soil Oak Timber
West	Between Sec. No. 15 & 22
39.80	Set the Sec. post from which a Sugar tree 14 ins. dia. bears S 4 W 39 lbs. & a Gum 12 ins. dia. bears S 17 W 37 lbs.
1960	Locomer.
South	Between Sec. No. 21 & 22
21.00	To Stream 150 lbs. over course E.
40.00	Set the Sec. post from which an Elm 14 ins. dia. bears S 40 E 16 lbs. & a Hickory 8 ins. dia. bears S 83 W 3 lbs.
50.10	To Stream 150 lbs. over course West
72.11	To " 150 " " " East
80.00	Set post cor. of Sec. No. 21. 22. 27 & 28 from which a Beech 4 ins. dia. bears N 30 E 16 lbs. & a Beech 5 ins. dia. bears S 12 W 5 lbs. Rough land, good soil, Oak Timber
West	Between Sec. No. 16 & 21
39.65	Set the Sec. post from which a Beech 16 ins. dia. bears N 13 W 21 lbs. & a Beech 14 ins. dia. bears S 14 W 22 lbs.

72.30	To corner
South	Between Sec. No. 20 & 21
16.40	To Back 10 ins. dia
40.00	Set $\frac{1}{4}$ Sec. post from which a W. Oak 6 ins. dia bears S 13 E 25 lks. & a W. Oak 18 ins. dia. bears S 25 W 5 lks
42.00	To B. Oak 20 ins. dia in line
80.00	Set post cor. of Secs. No. 20, 21, 28 & 29 from which a W. Oak 6 ins. dia. bears S 82 E. 13 lks & a W. Oak 8 ins. dia. bears N 66 W. 18 lks. Level land, good soil, Oak Timber
West	Between Sec. No. 17 & 20
39.70	Set $\frac{1}{4}$ Sec. post from which a W. Oak 16 ins. dia bears N 46 W 12 lks. & a W. Oak 12 ins. dia. bears South 14 lks.
79.40	To corner.
South	Between Sec. No. 19 & 20
30.58	To a Sugar tree 8 ins. dia
40.00	Set $\frac{1}{4}$ Sec. post from which a W. Oak 16 ins. dia bears N 19 E 15 lks. & a W. Oak 12 ins. dia. bears North 26 lks.
80.00	Set post cor. of Sec. No. 19, 20, 29 & 30 from which a Buck 14 ins. dia. bears N 50 W 7 lks. & a Buckeye 12 ins. dia. bears S 13 E 47 lks. Good land, Buck & Oak Timber
West	Between Sec. No. 14 & 30
40.00	Set $\frac{1}{4}$ Sec. post from which a Hickory 20 ins. dia bears S 86 W 17 lks. & a Dog 6 ins. dia. bears S 18 E 25 lks
78.00	To R. line fell 5.58 lks N. of post from which a W. Oak 16 ins. dia. bears S 70 E 16 lks. & a Hickory 20 ins. dia bears N 89 W 9 lks. Rough land, good soil, Oak Timber

V. L. S. R. I. E. of Mer. Ind.

South	Between Sec. No. 29 & 30
39.75	To run 10 lks. over course E.
40.00	Set 1/4 Sec. post from which a Dogwood 16 ins. dia. bears S 53 E 20 lks. & a W. Oak 12 ins. dia. bears S 35 W 30 lks.
80.00	Set post cor. of Sec. No. 29, 30, 31 & 32. from which a W. Oak 18 ins. dia. bears S 23 E 35 lks. & a W. Oak 12 ins. dia. bears N 23 W 10 lks. Good upland, Oak & Buck Timber
East	Between Sec. No. 29 & 30
4.00	To Stream 16 lks. over course S. over bottom
30.00	To hill land
79.20	To corner-fell 18 lks. S. of post Broken land good soil, Oak & Buck Timber
East	Between Sec. No. 21 & 28
80.00	To corner-fell 5 lks. S. of post Good hill land. Oak Timber
East	Between Sec. No. 22 & 27
20.00	To creek 2 lks. over course S
80.00	To corner-fell 60 lks. S. of post Rough land. thin soil. Oak Timber
East	Between Sec. No. 23 & 26
79.50	To corner-fell 15 lks. N. of post Good hill land Oak & Buck timber
East	Between Sec. No. 24 & 25
40.00	Set 1/4 Sec. post from which a W. Oak 12 ins. dia. bears N 2 W 5 lks. & a Dogwood 6 ins. dia. bears N 1/2 W 12 lks.
80.00	Set post cor. of Sec. No. 24 & 25 in V. L. S. R. I. E. & Sec. No. 19 & 30 in V. L. S. R. I. E. from which a W. Oak 10 ins. dia. bears N 42 E 10 lks. & a W.

95

Y. L. S. R. L. E. of Mer. Ind.

Cash 8 ins. dia bears 27 W. 24 lbs
 Rough land, good soil, Oak Timber—

West Between Sec. No. 23 & 26
 39.75 Set $\frac{1}{4}$ Sec. post from which a W. Oak 12 ins. dia.
 bears 25 E & 6 lbs. & a W. Oak 6 ins. dia bears N
 45 E 17 lbs.
 49.50 No corner—

South Between Sec. No. 25 & 26
 10.00 No a B. Oak 15 ins. dia
 40.00 Set $\frac{1}{4}$ Sec. post from which a B. Oak 12 ins.
 dia, bears 260 W 14 lbs. & a B. Oak 15 ins. dia, bears
 N 35 E 25 lbs.
 80.00 Set post cor. of Sec. No. 25. 26. 35 & 36.
 from which a Sugar-tree 7 ins. dia, bears N 22
 W 23 lbs. & a W. Oak 6 ins. dia, bears N 80 E 40 lbs.
 Poor land Rough hills, Oak Timber—

South Between Sec. No. 26 & 27.
 40.00 Set $\frac{1}{4}$ Sec. post from which a W. Oak 6 ins. dia
 bears N 49 W. 14 lbs. & a Hickory 4 ins. dia, bears
 N 14 E. 17 lbs, dist
 49.50 No a W. Oak 10 ins. dia
 80.00 Set post cor. of Sec. No. 26. 27. 34 & 35. from
 which a Beech 16 ins. dia, bears N 45 E 6 lbs. & a
 Beech 3 ins. dia, bears N 45 W 5 lbs.
 Rough land good soil, Oak & Beech Timber—

West Between Sec. No. 22 & 27
 40.00 Set $\frac{1}{4}$ Sec. post from which a W. Oak 6 ins.
 dia, bears N 6 W 25 lbs. & a Poplar 5 ins. dia
 bears S 32 W 20 lbs.
 30.00 No corner—

South Between Sec. No. 27 & 28

Y. L. S. R. A. E. of Mer.

8.40 Do a Buck 12 ins. dia
 12.00 Do a B. Oak 10 " "
 40.00 Set $\frac{1}{4}$ Sec. post from which a W. Oak 8 ins. dia. bears
 S55 W 13 lbs. & a Hick. 4 ins. dia. bears N 77 E 15 lbs
 80.00 Set post cor. of Sec. No. 27, 28, 33 & 34 from which
 a maple 8 ins. dia. bears S 23 E 19 lbs. & a Maple 6
 ins. dia. bears N 29 W 4 lbs.
 Mill land, Oak Buck & Poplar Timber

West Between Sec. No. 21 & 28
 39.19 Set $\frac{1}{4}$ Sec. post from which a W. Oak 16 ins. dia
 bears N 17 E 20 lbs. & a Gum 8 ins. dia. N 11 E 15 lbs
 78.38 to corner

South Between Sec. No. 28 & 29
 11.20 Do a Buck 12 ins. dia
 40.00 Set $\frac{1}{4}$ Sec. post from which a Hick. 4 ins dia
 bears S 85 E 17 lbs. & a Do 6 ins. dia. bears S 62 W 12 lbs
 80.00 Set post corner of Sec. No. 28, 29, 32 & 33
 from which a Buck 8 ins. dia bears S 44 W 4 lbs
 & a Sugar-tree 8 ins. dia. bears S 66 E 4 lbs
 Rough land, thin Soil Oak & Buck timber

West Between Sec. No. 20 & 29
 39.53 Set $\frac{1}{4}$ Sec. post from which a W. Oak 16 ins. dia. bears
 N 46 W 12 lbs & a W. Oak 12 ins. dia. bears S. 12 lbs
 79.20 to corner

West Between Sec. No. 30 & 31
 40.00 Set $\frac{1}{4}$ Sec. post from which a W. Oak 8 ins. dia. bears
 N 82 E 17 lbs. & a W. Oak 11 ins. dia. bears S 76 W 13 lbs
 78.00 Do W. R. line fell 9 ins. St. of post. Set post cor
 of Sec. No. 30 & 31 from which a W. Oak 16 ins. dia
 bears S 35 E 18 lbs. & a B. Oak 18 ins. dia. bears
 N 30 W 30 lbs. Rough land, good Soil Oak Timber

97

T. L. S. R. 1. E. of Mer. Ind.

South	Between Sec. No. 31 & 32. T. L. S. R. 1. E
3.10	To a W. Oak 12 ins. dia. in line
31.10	To the Ohio S 89 E. set post from which an Elm 30 ins. dia. bears N 62 E 35 chs. & a Maple 24 ins. dia. bears S. 74 W. 50 chs. — Good upland. Oak & Beech Timber
East	Between Sec. No. 29 & 30 random line over broken land, Oak, Beech, Poplar & Sugar tree Timber good soil
80.00	To corner full 9 chs. S. of the post
West	Blazed the true line
40.00	Set 1/4 sec. post from which a Beech 10 ins. dia. bears S 57 E 7 chs. & a W. Oak 8 ins. dia. bears N 5 E 18 chs
South	Between Sec. No. 32 & 33. T. L. S. R. 1. E
15.10	To a Beech 10 ins. dia. in line
20.00	To a W. Oak 9 " " " "
40.00	Set 1/4 sec. post from which an Elm 12 ins. dia. bears S 67 W 35 chs. & a Beech 12 ins. dia. bears N 80 E 34 chs. over Bottom land
50.40	To the Ohio. N 60 W. set post from which a Sugar tree 16 ins. dia. bears S 52 E 11 chs. & a W. Oak 30 ins. dia. bears N 50 W 27 chs. Good land Beech & Poplar Timber
East	Between Sec. No. 28 & 33. T. L. S. R. 1. E
12.00	To run 50 chs. over course South
79.50	To corner full 30 chs. S. of post. Rough land thin soil Oak Timber
West	On true line
39.75	Set 1/4 sec. post from which a Beech 12 ins. dia. bears N 30 W 9 chs. & a Beech 4 ins. dia. bears S 80 E 15 chs
79.50	To corner
South	Between Sec. No. 33 & 34. T. L. S. R. 1. E
3.10	To creek 2 chs. over course S 60 E

Y. 4. S. R. 1. E. of Mer. Ind.

40.00	Set $\frac{1}{4}$ Sec. post from which a Maple 6 ins. dia. bears N 75 W 17 lbs. & an Elm 6 ins. dia. bears S 70 E 20 lbs.
80.00	Set post cor. of Sec. No 33 & 34 in Y. 1. S. R. 1. E. & Sec. No 3 & 4 in Y. 5 S. R. 1. E. from which a Beech 16 ins. dia. bears S 50 W 17 lbs. & a Beech 30 ins. dia. bears S 57 E 21 lbs. - Rough land, good soil Oak Beech & Poplar. Timber?
East	Between Sec. No. 27 & 34
2.50	To run 140 lbs. wide course South
80.00	To the cor. full 10 lbs. S. of the post. Good upland. Oak & Beech Timber
West	On true line
40.00	Set $\frac{1}{4}$ Sec. post from which a W. Ash 6 ins. dia. bears N 99 W 19 lbs. & a Hickory 4 ins. dia. bears N 74 E 17 lbs.
South	Between Sec. No. 34 & 35
10.50	To a Beech 12 ins. dia. in line
40.00	Set $\frac{1}{4}$ Sec. post from which a B. Oak 20 ins. dia. bears N 39 E 17 lbs. & a Sugar tree 8 ins. dia. bears S 17 W 25 lbs.
67.00	To the Ohio S 50 W. set post from which a B. Oak 30 ins. dia. bears N 18 W 23 lbs. & a Hickory 4 ins. dia. S 45 W 11 lbs. - Broken land, good soil. Oak & Beech Timber
East	Between Sec. No. 26 & 35 over thin soil Oak Timber
80.00	To corner full 12 lbs. S. of post
West	Blaze the true line
40.00	Set $\frac{1}{4}$ Sec. post from which a Beech 20 ins. dia. bears N 25 E 23 lbs. & a Hickory 40 ins. dia. bears S 50 W 26 lbs.
South	Between Sec. No. 35 & 36 in Y. 1. S. R. 1. E.
10.40	To the Ohio course N. set post from which a Beech 12 ins. dia. bears N 66 W 19 lbs. & a Beech 10 ins. dia. bears N 82 E 25 lbs. - River hills Timber Beech Oak & Sugar tree

99

G. L. S. R. I. E. of Mor. Ind.

East	Between Sec. No. 35 & 36. G. L. S. R. I. E. along the points of the River hills
40.00	Set $\frac{1}{2}$ Sec. post from which a Beech Gins. dia. bears N 70 W 24 Mrs. & a Sugar tree 8 ins. dia. bears S 10 E 19 Mrs.
80.00	Set Temporary post. Last $\frac{1}{2}$ bottom beech & Sugar tree

Meanders of the Ohio. in G. L. S. R. I. E.
commenced at a post on the E. Range line of
District No. 1. E. in G. L. S. R. I. E.

S 82 W	26.50	
S 87 W	39.00	
S 63 W	16.50	To S. line between Sec. No. 1 & 2

S 63 W	14.00	
S 34 W	26.00	To E. line between Sec. No. 2 & 11

S 16 W	40.00	
S 2 E	40.00	To E. line between Sec. No. 11 & 12

South	8.70	
S 14 E	23.70	
S 34 E	26.00	
S 53 E	17.50	To N. line between Sec. No. 13 & 14

S 62 E	14.00	To E. line between Sec. No. 13 & 21
--------	-------	-------------------------------------

S 69 E	16.00	
East	27.00	
S 80 E	25.00	To N. line on E. side of Sec. No. 24

G. No. 4. S. R. I. E.	
N 77 W	41.00
West	39.70 To S. line between Sec. No. 35 & 36

S 86 W	17.00
S 71 W	22.00

T. 4. S. R. 1. E. of Mer. Ind.

S47N 35.40

S35N 28.00 To S. line between Sec. No. 34 & 35

S25N 15.00 To E. line on S. Side of Sec. No. 34

Thence commences on S. Side of Sec. No. 33 on the River

N42W 21.74

N49W 22.00 To S. line between Sec. No. 32 & 33

N53W 5.20

N61W 11.87

N68W 11.65

N77W 27.20

N83W 13.29

West 11.45

S83W 3.00 To S. line between Sec. No. 31 & 32

S85W 11.47

S72W 14.94

S66W 12.60

S60W 8.23

S45W 42.00 To West R. line

Surveyed by
Jas Bent D.S.

I certify that the foregoing transcript of field notes of Township 1° 4' South, of Range 1° 1' E. of the 2° Principal Meridian Indiana, has been compared with the Original in this Office and found to be correct.

Surveyor General's Office
Cincinnati, Aug. 8th 1844

J. S. Cairnes
Per Geo. D.